





TES-YACHT

TES 32 DREAMER TES 28 MAGNAM TES 678 BT/720 BT TES 550 MASTER


TES 32 DREAMER

SPECIFICATIONS:


LOA	32'	9.69m
LWL	28'-7"	8.00m
Beam	9'-11"	2.98m
Head Room	6'-6"	1.95m
Draft-Board Up	1'-6"	0.45m
Draft-Board Down	5'-5"	1.65m
Weight / Displacement from	7,700lbs	3500kg
Internal fixed ballast	2,200lbs	1000kg
Swing keel weight	260 lbs	120kg
Sail area	305 / 686 ft ²	28 / 63m ²
Main / Jib	218 ft ² / 152 ft ²	21.0m ² / 14.0m ²
Fresh water / holding tank	16 / 16 gal.	60 / 60 l
CE classification	B / C	B / C
Auxiliary Power	29 HP	29HP



Velocity Made Good Polar Diagram. Wind speed 11kn, gusts 17kn



Righting moment curve



TES 32 DREAMER



TES 32 Dreamer provides full comfort for a crew of 4 to 6. Headroom of 6'-4", two private staterooms with double berths, private head with sink and optional shower, full galley, comfortable dining and inboard motor arrangement make this boat a very comfortable cruiser. Standard option provides European style comfort with warm mahogany interior with heavy fabric covered cushions. A non-conventional low draft centerboard option allows exploring of shallow waters with a cruising sailboat. A keel version is also available. Ergonomic arrangement of the cockpit with a dedicated skipper seat is a typical continuation of the TES design. Catchy bow pulpit provides easy boarding from the dock.



Boat can be offered with different interior finish in oak or ash and variety of options.

TES 28 MAGNAM



SPECIFICATIONS

LOA	28'	8.68m
LWL	26'-0"	7.95m
Beam	9'-11"	2.98m
Head Room	6'-1"	1.87m
Draft-Board Up	1'-2"	0.36m
Draft-Board Down	4'-7"	1.40m
Weight / Displacement from*	6,400lbs *	2.900kg *
Internal fixed ballast	1760 lbs	800kg
Swing keel weight	220 lbs	100kg
Sail area	380ft ²	34.5m ²
Main / Jib	223 ft ² / 157 ft ²	20.0m ² / 14.5m ²
Fresh water / holding tank	16 / 16 gal	60 / 60 l
CE classification	B / C	B / C
Auxiliary Power	10 - 15 HP	10 - 15 HP
Inboard / Outboard		

* Removable ballast optional



Velocity Made Good Polar Diagram
TES 27 Magnam
Wind speed 11kn, gusts 17kn.



TES 28 MAGNAM



TES 28 Magmam has all features from other TES boats and new and proven solutions were added. She combines the portability of smaller models with the space and comfort of the Dreamer 32. The cabin space provides space for head with shower space, full galley, space for inboard with bow and stern cabins. Lots of light and great ventilation is given by 5 deck hatches. Cockpit with high coamings is enclosed at the stern by liftable seat and huge optional swim platform. The owner can decide on the version and character of the Magmam to make her the yacht of his or her dreams. The trailerable version and access to shallow waters dictate the need for the swing centerboard, while blue waters cruising with lots of depth would suggest fitting with the keel. Tiller or wheel steering, and outboard or inboard motor version are possible for Magmam. As typical for all TES boats, rigid and solid hull laminated with deck, great stability assured by the design and inboard ballast provide safe and the fastest environment from within all TES boats



TES 678 BT/720 BT

SPECIFICATIONS - TES 678 BT (without stern platform)

L	23'-11"	7.26m
LWL	19'-7"	5.96m
Beam	8'-3"	2.50m
Head Room	5'-9"	1.75m
Draft-Keel Up/Down	12'-4'-8"	0.30/1.4m
Displacement	3,400lbs	1,460kg
Internal fixed ballast	770 lbs	350kg
Swing keel weight	180 lbs	80kg
Sail area	249ft ²	23.0m ²
Main / Jib	152/97ft ²	14.0/9.0m ²
Mast length	28'-10"	8.80m
CE classification	B / C	B / C
Inboard / Outboard	4-10HP	4-10 HP

SPECIFICATIONS - TES 720 BT (with stern platform)

L OA	24'-0"	7.32m
LWL	19'-7"	5.96m
Beam	8'-3"	2.50m
Head Room	5'-9"	1.75m
Draft-Keel Up/Down	12'-4'-8"	0.30/1.4m
Displacement	3,480lbs	1,500kg
Internal fixed ballast	770 lbs	350kg
Swing keel weight	180 lbs	80kg
Sail area	249ft ²	23.0m ²
Mast length	28'-10"	8.80m
CE classification	B / C	B / C
Inboard / Outboard	4-10HP	4-10 HP




Velocity Made Good Polar Diagram. Wind speed 11kn, gusts 17kn

At 90° heel the boat lifts 60lbs on the mast top

α	0°	15°	30°	45°	60°	75°	90°
Righting moment [lbf*ft*10 ³]	0	2,29	3,82	3,98	3,61	2,99	1,92

Righting Moment [lbf*ft*10³]



TES 678 BT/720 BT





TES 678 / 720 - trailerable cruiser, provides full accommodations for a crew of 4 to 5, with interior comfort of a 26-footer. Private head with sink, galley with sink and stove, impressive headroom, aft and bow permanent double berths and lots of storage combined with exciting performance. As all TES boats, this one has also fixed ballast in the hull. Permanent ballast eliminates water residues inside the hull which can be damaged by freezing during winter storage. Easy mast rising system is integrated with rigging and allows raising and lowering of the mast while the cruiser is on the trailer or on the water. The mast can be raised or lowered with sails and all soft rigging on! A shallow draft of 12" allows you to come to a beach with practically dry ankles – 2" draft at the stern. The boat can be ordered with different interior finish and variety of options. Standard option provides European style comfort with warm mahogany interior with heavy fabric covered cushions. A keel version with optional inboard motor is also available.

TES 550 MASTER

SPECIFICATIONS

L	20'-8"	6.30m
LWL	17'-10"	5.96m
Beam	8'3"	2.50m
Head Room	5'-7"	1.72m
Draft-Board Up	10"	0.26m
Draft-Board Down	4'-2"	1.26m
Weight / Displacement from	2,260lbs	1,200kg
Internal fixed ballast	550 lbs	250kg
Swing keel weight	155 lbs	70kg
Sail area	215ft ²	19.7m ²
Main / Jib	130 ft ² / 85 ft ²	11.9m ² / 7.8m ²
Mast length	27'-10"	8.50m
CE classification	C	C
Auxiliary Power	Max. 5	Max. 5
Inboard / Outboard	HP	HP



TES 550 MASTER



TES 550 Master [20'] is the smallest in TES family. This fully trailerable sailboat provides complete accommodations for a crew of 2 to 4. It provides unique headroom of 5'-7", private stand up head with sink, galley with sink and stove, one permanent rear double berth and one convertible front double berth, and lots of storage. Easy mast rising system is integrated with rigging and allows raising and lowering of the mast while the cruiser is on the trailer or on the water. The mast can be raised or lowered with sails on!

A shallow draft of 10" allows you to come to a beach with practically dry ankles – no draft at the stern.

Boat can be offered with different interior finish and variety of options. Standard option provides European style comfort with warm mahogany interior with heavy fabric covered cushions.



■ TES YACHT

Tomasz Siwik
Design, Manufacturing

Stocznia (Yard)
ul. Akacjowa 21
05-079 Okuniew
POLAND
tel. +48 602 346 392
tel./fax +48 (22) 783 73 77

e-mail: info@tes-yacht.pl
www.tes-yacht.pl

■ Tes-Yacht Europe

Centro de Distribución de Tes Yacht
Maritime Engineering Solutions, S.L.
Avda. Diputació 3, 1ºA.
43859 Cambrils (Tarragona) - Spain
tel. (France): +33 (0) 689 68 88 49
tel. (Spain): +34 977 79 33 65, +34 669 22 11 83
fax: +34 977 36 88 93
e-mail: info@tesyachteurope.com

■ España

Tes-Yacht España S.L.
Gaspar Bravo de Sobremonte, s/n, Oficina 9A
28340 - Valdemoro
Madrid (España)
tel.: +34 678 65 78 90
fax: +34 91 875 21 70
e-mail: aochab@tes-yacht.com
www.tes-yacht.com

■ Netherlands, Great Britain, Belgium

De Blauwe Boei
Sylspaed 15; 8711 EB Workum
U.W. Jansma
portable: (06) 53293578
tel. (0514) 522 567
P. de Boer
portable: (06) 53293448
tel. (0515) 542 646
e-mail: info@deblauweboei.nl

■ Canada

Mark Janczarski
30 Sai Crescent
Ottawa, ON, K1G 5N8
tel./fax (613) 523 7857
cell.: (613) 799 4982
e-mail: info@tes-yacht.ca
www.tes-yacht.ca

■ Sweden

MR Yacht Import
c/o Marek Repinski
Upplandsgatan 65
113 28 STOCKHOLM
tel. +46 704 675915
e-mail: info@mr-yacht.nu
www.mr-yacht.nu

